


FLUID POWER PNEUMATICS VANE AIR MOTORS

STAINLESS STEEL VANE AIR MOTORS


Our stainless-steel lubricated vane air motors come in four basic models up to 1.7hp (1.3kW) with variable motor speeds from 3000 – 10 000rpm.

STAINLESS STEEL AIR MOTORS								
HP	Max Torque @ 5 Bar	Max Air Flow Usage	Max RPM	Shaft Diameter	Mounting	Port Size	Rotation	Part Number
0.45	0.3 Nm	20.5 cfm	10,000	3/8"	Hub	1/8"	REV	FPP1AMVS113
	0.3 Nm	20.5 cfm	10,000	3/8"	Face	1/8"	REV	FPP1AMVSF113
	0.3 Nm	20.5 cfm	10,000	3/8"	Flange	1/8"	REV	FPP1AMVS127
1.7	4 Nm	78 cfm	3000	5/8"	Face	1/4"	REV	FPP4AMNRV251SS


FPP1AMVS113




FPP1AMFVS113



FPP1AMVS127



FPP4AMNRV251SS



FLUID POWER PNEUMATICS ALSO PROWDLY DISTRIBUTES XCPC SOUTH AFRICA
PRODUCTS



PLEASE CONTACT US FOR A QUOTATION